


DATE: Thursday, January 02, 2003 Printable Copy Create Case

Set Name Query side by side		Hit Count	Set Name result set	
DB=USPT; PLUR=YES; OP=ADJ				
<u>L19</u>	6311327.pn.	1	<u>L19</u>	
<u>L18</u>	L17 and (logic\$ or physic\$)	1	<u>L18</u>	
<u>L17</u>	6502237.pn.	1	<u>L17</u>	
<u>L16</u>	114 and address\$	1	<u>L16</u>	
<u>L15</u>	L14 and physical and logical	0	<u>L15</u>	
<u>L14</u>	5802373.pn.	1	<u>L14</u>	
<u>L13</u>	L12 and profil\$	67	<u>L13</u>	
<u>L12</u>	L11 and (logical\$ near6 physical\$)	821	<u>L12</u>	
<u>L11</u>	L10 and (address\$ near5 translat\$)	3123	<u>L11</u>	
<u>L10</u>	execut\$ near6 address\$	17333	<u>L10</u>	
<u>L9</u>	L8 and (interrupt\$ or exception\$ or branch\$)	33	<u>L9</u>	
<u>L8</u>	L7 and (sequential\$ near5 execut\$)	34	<u>L8</u>	
<u>L7</u>	logical\$ near7 physical\$ and execut\$ and profil\$ and pointer\$	410	<u>L'7</u>	
<u>L6</u>	L3 and interrupt\$	22	<u>L6</u>	
<u>L5</u>	L3 and (diverg\$ near5 sequential\$ near5 instruction\$)	0	<u>L5</u>	
<u>L4</u>	L3 and (divedrg\$ near5 sequentianl\$ near5 instruction\$)	0	<u>L4</u>	
<u>L3</u>	L2 and binary\$ and (pointer\$ or referenc\$)	26	<u>L3</u>	
<u>L2</u>	L1 and profil\$	53	<u>L2</u>	
<u>L1</u>	execut\$ same (logical\$ near5 address) and physical near5 address\$	1129	<u>L1</u>	


END OF SEARCH HISTORY




DATE: Thursday, January 02, 2003 Printable Copy Create Case

Set Name Query side by side		Hit Count	Set Name result set	
DB=USPT; $PLUR=YES$ ; $OP=ADJ$				
<u>L18</u>	L17 and (logic\$ or physic\$)	1	<u>L18</u>	
<u>L17</u>	6502237.pn.	1	<u>L17</u>	
<u>L16</u>	114 and address\$	1	<u>L16</u>	
<u>L15</u>	L14 and physical and logical	0	<u>L15</u>	
<u>L14</u>	5802373.pn.	1	<u>L14</u>	
<u>L13</u>	L12 and profil\$	67	<u>L13</u>	
<u>L12</u>	L11 and (logical\$ near6 physical\$)	821	<u>L12</u>	
<u>L11</u>	L10 and (address\$ near5 translat\$)	3123	<u>L11</u>	
<u>L10</u>	execut\$ near6 address\$	17333	<u>L10</u>	
<u>L9</u>	L8 and (interrupt\$ or exception\$ or branch\$)	33	<u>L9</u>	
<u>L8</u>	L7 and (sequential\$ near5 execut\$)	34	<u>L8</u>	
<u>L7</u>	logical\$ near7 physical\$ and execut\$ and profil\$ and pointer\$	410	<u>L7</u>	
<u>L6</u>	L3 and interrupt\$	22	<u>L6</u>	
<u>L5</u>	L3 and (diverg\$ near5 sequential\$ near5 instruction\$)	0	<u>L5</u>	
<u>L4</u>	L3 and (divedrg\$ near5 sequentianl\$ near5 instruction\$)	0	<u>L4</u>	
<u>L3</u>	L2 and binary\$ and (pointer\$ or referenc\$)	26	<u>L3</u>	
<u>L2</u>	L1 and profil\$	53	<u>L2</u>	
<u>L1</u>	execut\$ same (logical\$ near5 address) and physical near5 address\$	1129	<u>L1</u>	

END OF SEARCH HISTORY



DATE: Thursday, January 02, 2003 Printable Copy Create Case



**END OF SEARCH HISTORY**